


28718

|   |        |
|---|--------|
| T | TOP    |
| B | BOTTOM |
| F | FRONT  |
| H | HIND   |
| L | LEFT   |
| R | RIGHT  |
| C | CENTER |




$$(52+1)x = 7/8''$$

$$x = .3624$$


15

$$\frac{x}{2} = .1812$$







FL Post  
(Mirror for FR)

- keep extra inch until mortises dropped



HL/HR Post (2x)  
- Keep extra 1/2" (Same both sides)


# TOP BEAMS




TL/TLZ BEAM (2x)

TF BEAM

SAME AS TL/TLZ, extra notch




TH BEAM




|                                     |
|-------------------------------------|
| Reference - 02021-011 - Page 1 of 2 |
| Prepared by                         |
| Approved                            |
| Signature                           |


# BOTTOM BEAMS / FACE BEAMS




BF BEAM



BL/BR/BH BEAM (3x)




FACE BEAM (3x)







# SUPPORT BEAMS



CL/CR/CH BEAM (3x)




TC BEAM






TOP X-SUPPORTS (4x)




BOTTOM X-SUPPORTS (4x)




# TOP SURFACE



TOP





TAB (6x)




11  
11  
11  
8

# HANDLES + FRAME SLIDES

+ PANELS




HANDLES (2x)




PANEL (6x)

.25" THICK


CHAMFER INSIDE  
EDGE (MIRROR ON  
HALF)



FRAME SLIDE SUPPORT (8x)



TOP SLIDE (FRAME) (8x)










BOTTOM SLIDE (FRAME) (8x)





# DRAWER SIDES



## DRAWER FRONTS/BACKS/BOTTOMS

